



CONTENTS



1

P02

INNOVATION

An **INNOVATION CLOSURE SOLUTION** inspired from everyday life, that creates new experiences on wearing and the look for sandals.



P03

CASUAL LINE

A collection of **RINGS, ADJUSTERS** and **HOOKS**, that is suitable for variety tape and strap applications.



P08

CLOSURE LINE

A collection of **BUCKLE** design series, that provides variety tape and strap closure styles.



P10

PERFORMANCE

Selections from **NFCO LACING** product line, that cover all the function requirements of lacing sandals.



INNO

INNOVATION

Smart to Push & Pull

15mm/20mm/25mm



QUICK LOCKING



2 WAYS QUICK RELEASE



2



SQUARE RING

Product: SQ SERIES
Webbing size: 20/25/30mm
Tensile: 40 kgf



LADDER LOCK

Product: JLL SERIES
Webbing size: 15/20/25mm
Tensile: 40 kgf



TRIANGLE RING

Product: TR SERIES
Webbing size: 20/25/30mm
Tensile: 30 kgf



TRI-GLIDE

Product: T-A SERIES
Webbing size: 20/25mm
Tensile: 40 kgf



D-RING

Product: D-A SERIES
Webbing size: 20/25mm
Tensile: 40 kgf



SQUARE RING

Product: SQ-A SERIES
Webbing size: 20/25/30mm
Tensile: 40 kgf



SEWABLE D-RING

Product: CD20 & 25
Webbing size: 20/25mm
Tensile: 40 kgf



HOOK

Product: T SERIES
Webbing size: 20/25/30mm
Tensile: 40 kgf



CAM BUCKLE

Product: ST-A SERIES
Webbing size: 20/25mm
Tensile: 40 kgf



CAM BUCKLE

Product: ST20FA
Webbing size: 20mm
Tensile: 40 kgf



HOOK

Product: LNH SERIES
Webbing size: 25/35mm
Tensile: 40 kgf



TAPE END

Product: TE-B SERIES
Webbing size: 20/25mm



TAPE END

Product: DS-SERIES
Webbing size: 20/25mm



HOOK

Product: GS20
Webbing size: 20mm
Tensile: 40 kgf



LADDER LOCK

Product: SML20
Webbing size: 20mm
Tensile: 40 kgf



LADDER LOCK


Product: L-C SERIES
Webbing size: 20/25mm
Tensile: 40 kgf



LADDER LOCK

Product: TLL SERIES
Webbing size: 20/25mm
Tensile: 40 kgf

GENO FLEXIBLE STRAP



- ▶ Patented design inner teeth structure
- ▶ Each locking tooth : 0,5 kgf holding
- ▶ Suggested to lock-on at least 3 teeth



7

CLOSURELINE



SIDE RELEASE BUCKLE

Product: NS-T SERIES
Webbing size: 20/25/30mm
Tensile: 20 kgf



QUICK RELEASE BUCKLE

Product: BBU-A SERIES
Webbing size: 25/38mm
Tensile: 20 kgf



FRONT RELEASE BUCKLE

Product: FRS20A & 25A
Webbing size: 20/25mm
Tensile: 20 kgf




8

CLOSURELINE



SIDE RELEASE BUCKLE

Product: SRAP16
Webbing size: 16/25mm
Feature: Slip Tongue
Tensile: 40 kgf



SIDE RELEASE BUCKLE

Product: JSRA SERIES
Webbing size: 20/25/38mm
Tensile: 40 kgf



FRONT RELEASE BUCKLE

Product: MFR101
Webbing size: 10mm
Tensile: 7 kgf



QUICK RELEASE BUCKLE

Product: GR SERIES
Webbing size: 20/25/35mm
Tensile: 25 kgf

PERFORMANCELINE



CORD LOCK

Product: CLHF30A
Cord size: 2.5-3.0mm
Locking Strength: 0.3-2 kgf



CORD END

Product: CSHF1
Cord size: 2.5-3.0mm
Tensile: 10 kgf
Feature: Lightweight



HOOK

Product: SCE1
Cord size: 2.5-3.0mm
Tensile: 8 kgf





CORD LOCK

Product: **SRL1 SERIES**
 Cord size: **2.0-3.5mm**
 High Tensile: **15 kgf**



CORD LOCK

Product: **CLUX1A**
 Cord size: **2.5mm**
 Tensile: **15 kgf**
 Feature: **No locking button**



CORD END

Product: **CSEG20A**
 Cord size: **2.0mm**
 Tensile: **35 kgf**



EYELET

Product: **RRS1**
 Webbing size: **3.0mm & 2.0mm**
 Tensile: **30 kgf**
 Feature: **Double cord size**



CORD LOCK

Product: **BLND35A**
 Cord size: **3.0-3.5mm**
 Locking Strength: **3 kgf**
 Feature: **Laser texture**



CORD LOCK

Product: **CLC SERIES**
 Cord size: **2.0-3.0mm**
 Locking Strength: **10 kgf**



EYELET

Product: **RRG SERIES**
 Cord size: **2.0mm**
 High Tensile: **40 kgf**
 Feature: **Cover by tape**



EYELET

Product: **RRJ1**
 Cord size: **3.0mm**
 Webbing size: **10mm**
 Locking Strength: **15 kgf**



CORD END

Product: **CSD4**
 Webbing size: **20mm**
 Tensile: **5 kgf**



CORD END

Product: **CSHF2**
 Webbing size: **2,5-3,0mm**
 Locking Strength: **10 kgf**



HOOK

Product: **HEP2**
 Cord size: **2,0mm**
 Tensile: **8 kgf**



HOOK

Product: **HND5**
 Cord size: **2,0mm**
 Webbing size: **6mm**
 Locking Strength: **8 kgf**